

ABOUT US

Ventmann has developed its own unique technology to manufacture diffusers that can be integrated into home interiors. The products are made of a special blend which gives them unique properties and synergies with the materials used in the decoration. Ventmann products are mounted on a variety of surfaces, have no frames, can be painted and decorated. It is these qualities that allow our products to blend in and decorate the home. In cooperation with customers, it was noticed that the products on the market did not meet their visual expectations. The limited choice of dimensions and the ceiling height adjustment limit the possibilities for fulfilling the desired interior solutions. We are excited about these challenges and are able to offer our customers a unique product that can be adapted to a variety of interiors.

CONTACTS

EMAIL:
sales@ventmann.eu

ADDRESS:
Perkunkiemio str. 4A LT-12128,
Vilnius, Lithuania

WEB PAGE:
www.ventmann.eu

*The air had never
been so elegant*

 **Ventmann**
The air had never been so elegant



FRAMELESS DIFFUSERS
TECHNICAL CATALOGUE

LINE



FRAMELESS



PLASTERED - IN



PAINTABLE

LINE model diffusers are an elegant and flexible interior design solution. Using this model, it's possible to create strikingly unique interior elements or, in contrast, make the diffuser almost invisible.

By selecting the right model size, it becomes easy to create interesting ceiling designs. Alternatively, it is also possible to create an illusion of no diffuser at all. That is achieved by opting for the SLIM model. In the event of form over function, our LINE diffusers can also be used as initiators, to create an endless line without breaks. This way, unique interior design solutions can be made real.

LINE diffuser models are more than just interior design elements, but a practical solution. They are the first diffusers on the market that can be painted with the same paint as the rest of the surface and leave no frames to look at. In addition, even standard LINE models can be adapted to your needs.

- 1-slot, 2-slot or 3-slot types are available from LINE models.
- 625mm, 1000mm, 1250mm - you can choose these standard lengths of the LINE diffuser models.

- 12mm or 18mm - you can choose these standard slot widths of the LINE diffuser models.

Even standard diffuser models can be flexibly adapted to your needs. They can be connected in an infinite line with unobtrusive connections. These unique solutions do not require lowering of the ceiling height.

You can place all standard size orders in the order form below, if your project requires non-standard solutions, or your market requires specific dimensions of LINE diffusers - we can help you.

Fill out the order form below and select a bespoke order. Our consultants will contact you and together we will discuss the fulfilment of your order.

We also invite you to get acquainted in detail with the technical information of LINE model diffuser, which you can do by reading through our catalogue.

Finally, to witness how easy it is to install LINE diffusers, we invite you to watch our product showcase video.

Ventmann - your choice of air elegance.



LINE



CIRCLE



SQUARE



SIDE



ORDER




Installation:
video instructions
 YouTube



Download a digital
version of the catalog
 Download

LINE 1/12

SLOT DIFFUSER




1
AMOUNT OF SLOTS

12 mm
WIDTH OF SLOT



2.5 kg
1 M. LENGTH DIFFUSER WEIGHT
WITHOUT PACKAGING (NET)

625 / 1000 / 1250
STANDARD SLOT LENGTH (MM)

Steel punched sheet. Distributes the exhaust air through the diffuser.




Gypsum mix segment. Sanded, puttied, painted. Suitable for all operations in combination with surface finishing




Slot narrower by a third, which is less noticeable indoors, is called the Slim version. When the gap is narrowed, the diffuser hardly loses its technical capabilities. Great choice for subtle integration of diffuser into minimalist spaces.

PERCEPTIBLE AIRSPEED $L_{0,2}$ (m) DISTANCE



Airflow perceptible with the Line diffuser at a height of 2.70 m





PERCEPTIBLE AIRSPEED REACH LIMIT



Order code:

Slot length amount slot width	35	40	45	50
LINE 625 1 12	35	40	45	50
LINE 1000 1 12	60	70	80	90
LINE 1250 1 12	75	88	102	115
LINE 625 1 18	35	40	45	70
LINE 1000 1 18	60	77	94	110
LINE 1250 1 18	75	97	118	140

Airborne noise and resistance, 1 m.




LINE 1/18

SLOT DIFFUSER





- 1** AMOUNT OF SLOTS
- 18 mm** WIDTH OF SLOT
- 2.5 kg** 1 M. LENGTH DIFFUSER WEIGHT WITHOUT PACKAGING (NET)
- 625 / 1000 / 1250** STANDARD SLOT LENGTH (MM)

Steel punched sheet. Distributes the exhaust air through the diffuser.




Gypsum mix segment. Sanded, puttied, painted. Suitable for all operations in combination with surface finishing.




One slot diffuser gives the interior a feeling of lightness, seamlessly integrates the ventilation system into the space, adds elegance and exclusivity.

PERCEPTIBLE AIRSPEED $L_{p,2}$ (m) DISTANCE



Airflow perceptible with the line diffuser at a height of 2.70 m





PERCEPTIBLE AIRSPEED REACH LIMIT



Order code:


Line	Length (m)	Slot length (mm)	Slot width (mm)	Slot area (m²)	Slot amount	Slot width (mm)	Slot length (mm)
LINE 625	1	12	35	40	45	50	75
LINE 1000	1	12	60	70	80	90	118
LINE 1250	1	12	75	88	102	115	140
LINE 625	1	18	35	40	45	70	75
LINE 1000	1	18	60	77	94	110	118
LINE 1250	1	18	75	97	118	140	140

Airborne noise and resistance, 1 m.



LINE 2/12

SLOT DIFFUSER




2
AMOUNT OF SLOTS

12 mm
WIDTH OF SLOT



2.735 kg
1 M. LENGTH DIFFUSER WEIGHT
WITHOUT PACKAGING (NET)

625 / 1000 / 1250
STANDARD SLOT LENGTH (MM)

Steel punched sheet. Distributes the exhaust air through the diffuser.




Gypsum mix segment. Sanded, puttied, painted. Suitable for all operations in combination with surface finishing




Slim slots are narrower by 30%, making them harder to spot in the environment. However, they do not compromise too much on functionality and aerodynamic properties. They are easily integrated into both walls and ceilings.

PERCEPTIBLE AIRSPEED $L_{0,2}$ (m) DISTANCE



Airflow perceptible with the Line diffuser at a height of 2.70 m





PERCEPTIBLE AIRSPEED REACH LIMIT



Order code:


LINE 625 2 12	45	67	88	110
LINE 1000 2 12	75	108	142	175
LINE 1250 2 12	90	133	177	220
LINE 625 2 18	45	75	105	135
LINE 1000 2 18	75	120	165	210
LINE 1250 2 18	90	148	206	265

Airborne noise and resistance, 1 m.



LINE 2/18

SLOT DIFFUSER




2
AMOUNT OF SLOTS

18 mm
WIDTH OF SLOT



2.735 kg
1 M. LENGTH DIFFUSER WEIGHT
WITHOUT PACKAGING (NET)

625 / 1000 / 1250
STANDARD SLOT LENGTH (MM)

Steel punched sheet. Distributes the exhaust air through the diffuser.




Gypsum mix segment. Sanded, puttied, painted. Suitable for all operations in combination with surface finishing




The two-slot diffuser integrates well in both walls and ceilings. It can be used in both extremely small and extremely large premises. Suitable for supplying or exhausting indoor air.

PERCEPTIBLE AIRSPEED $L_{0,2}$ (m) DISTANCE



Airflow perceptible with the Line diffuser at a height of 2.70 m





PERCEPTIBLE AIRSPEED REACH LIMIT



Order code:

Order code	45	67	88	110
LINE 625 2 12	45	67	88	110
LINE 1000 2 12	75	108	142	175
LINE 1250 2 12	90	133	177	220
LINE 625 2 18	45	75	105	135
LINE 1000 2 18	75	120	165	210
LINE 1250 2 18	90	148	206	265

Airborne noise and resistance, 1 m.




STANDARD ACUSTIC BOXES GOOD TO GO

SUITABLE FOR LINE DIFFUSERS: 1/12, 1/18, 2/12, 2,18
 The junction boxes can be ordered with individual dimensions, the order sheet is at the end of the catalogue.


Order code: GTG 75 625

Hole diameter Box length




Order code: GTG 75 1000

Hole diameter Box length




Order code: GTG 75 1250

Hole diameter Box length




Order code: GTG 75

Hole diameter




Order code: GTG 125 625

Hole diameter Box length




Order code: GTG 125 1000

Hole diameter Box length




Order code: GTG 125 1250

Hole diameter Box length




Order code: GTG 125

Hole diameter




Order code: GTG 160 625

Hole diameter Box length




Order code: GTG 160 1000

Hole diameter Box length




Order code: GTG 160 1250

Hole diameter Box length




Order code: GTG 160

Hole diameter



LINE 3/12

SLOT DIFFUSER



3
AMOUNT OF SLOTS



12 mm
WIDTH OF SLOT

4.085 kg
1 M. LENGTH DIFFUSER WEIGHT
WITHOUT PACKAGING (NET)

625 / 1000 / 1250
STANDARD SLOT LENGTH (MM)


Steel punched sheet. Distributes the exhaust air through the diffuser.

Gypsum mix segment. Sanded, putted, painted. Suitable for all operations in combination with surface finishing.




Slim version of this diffuser is characterized by lightness and elegance. It accomplishes the greatest technical tasks without obscuring the interior, causing noise or discomfort to residents

PERCEPTIBLE AIRSPEED L_{p2} (m) DISTANCE



Airflow perceptible with the line diffuser at a height of 2.70 m





PERCEPTIBLE AIRSPEED REACH LIMIT



Order code:


Line	Slot length (mm)	Slot amount	Slot width (mm)	q (m³/h)
LINE 625 3 12	625	3	12	96
LINE 1000 3 12	1000	3	12	137
LINE 1250 3 12	1250	3	12	180
LINE 625 3 18	625	3	18	138
LINE 1000 3 18	1000	3	18	191
LINE 1250 3 18	1250	3	18	245
LINE 625 3 18	625	3	18	111
LINE 1000 3 18	1000	3	18	167
LINE 1250 3 18	1250	3	18	225
LINE 625 3 18	625	3	18	85
LINE 1000 3 18	1000	3	18	158
LINE 1250 3 18	1250	3	18	231
LINE 625 3 18	625	3	18	115
LINE 1000 3 18	1000	3	18	205
LINE 1250 3 18	1250	3	18	295

Airborne noise and resistance, 1 m.



LINE 3/18

SLOT DIFFUSER



3
AMOUNT OF SLOTS




18 mm
WIDTH OF SLOT

4.085 kg
1 M. LENGTH DIFFUSER WEIGHT WITHOUT
PACKAGING (NET)





625 / 1000 / 1250
STANDARD SLOT LENGTH (MM)

Steel punched sheet. Distributes the exhaust air through the diffuser.

Gypsum mix segment. Sanded, puttied, painted. Suitable for all operations in combination with surface finishing




Airborne noise and resistance, 1 m.




The three-slot diffuser is extremely efficient. It can let through the highest amount of air compared to other Line diffusers. It is well suited for places where changing air volumes can be a real challenge.

PERCEPTIBLE AIRSPEED REACH LIMIT




PERCEPTIBLE AIRSPEED $L_{p,2}$ (m) DISTANCE




STANDARD ACUSTIC BOXES GOOD TO GO

SUITABLE FOR LINE DIFFUSERS: 3/112, 3/118
 The junction boxes can be ordered with individual dimensions, the order sheet is at the end of the catalogue.


Order code: **GTG 125 625**




Order code: **GTG 125 1000**




Order code: **GTG 125 1250**




Order code: **GTG 125**




Order code: **GTG 160 625**




Order code: **GTG 160 1000**



Order code: **GTG 160 1250**



Order code: **GTG 160**



CIRCLE



Frameless CIRCLE diffusers are the most versatile solution for every room and interior design style. It is the most popular choice, stylistically completely non-binding, blending perfectly with the environment.

Like all Ventmann air distributors, products in the CIRCLE line can be plastered together with the wall or the ceiling and can be painted with the same paint as the entire surface. All CIRCLE standard models can be adapted to your needs.

- 100mm or 125mm - these are the smallest standard connection nozzle diameters you can select.
- 160mm - this is the medium diameter of the standard connection nozzle that you can select.
- 200mm or 250mm - these are the largest standard connection nozzle diameters that you can select.

Multiple beautiful, sleek CIRCLE diffusers can be installed in a single room. You can order one of the standard CIRCLE diffuser sizes simply by filling out the order form below.

If your market requires specific sizes of CIRCLE diffusers - we can help you.

Fill out the order form below and select a bespoke order. Our consultants will contact you and together we will discuss the fulfillment of your order.

We also invite you to get acquainted in detail with the technical information of CIRCLE model diffuser, which you can do by reading through our catalogue.

Finally, to witness how easy it is to install CIRCLE diffusers, we invite you to watch our product showcase video.

Ventmann – your choice of air elegance.



Installation
Video Instructions:
[YouTube](#)



Download a digital
version of the catalog
[Download](#)

CIRCLE 100/125




ROUND DIFFUSER



100/125 mm
DIAMETER OF COUPLING SLEEVE
2.60 kg
WEIGHT WITHOUT PACKAGING (NET)


Order code for 100 Ø: **CIRCLE 100**
Hole diameter

Order code for 125 Ø: **CIRCLE 125**
Hole diameter







Air velocity at distance from diffuser

The round slot CIRCLE diffuser is ideally suited to a variety of room sizes. Can be used for both air supply and air extraction.



Airflow perceptible with the Circle diffuser at a height of 2.70 m

Airborne noise and resistance, 1 m.





CIRCLE 160

ROUND DIFFUSER



Order code:
CIRCLE 160






Hub diameter



160 mm
DIAMETER OF COUPLING SLEEVE


3.20 kg
WEIGHT WITHOUT PACKAGING (NET)

Airborne noise and resistance, 1 m.



Air velocity at distance from diffuser

The round slot CIRCLE diffuser is ideally suited to a variety of room sizes. Can be used for both air supply and air extraction.



CIRCLE 200/250



ROUND DIFFUSER








200/250 mm
DIAMETER OF COUPLING SLEEVE
3.90 kg
WEIGHT WITHOUT PACKAGING (NET)

Order code for 200 Ø:
CIRCLE 200 Hole diameter

Order code for 250 Ø:
CIRCLE 250 Hole diameter




Airborne noise and resistance, 1 m.



Air velocity at distance from diffuser

The round slot CIRCLE diffuser is ideally suited to a variety of room sizes. Can be used for both air supply and air extraction.



SQUARE



SQUARE diffusers are so much more than just another air distributor. They are minimalist interior elements that will accentuate the precise lines and rigid angles of an interior design. Toss aside the ventilation grille. You will no longer have to think about where to hide it, because from now on, air distributors are an integral part of the interior design.

SQUARE ventilation diffusers are also a practical solution. They are the first diffusers on the market that are mounted at the same time as the walls or ceilings and can be painted with the same paint. In addition, even standard SQUARE models can be adapted to your needs:

- 100mm or 125mm - these are the standard connection nozzle diameters that you can select.
- Industrial strengths magnets - the diffuser cap is supported by magnets that do not lose their strength for 95 years.

Due to their strict shape, multiple such diffusers can be installed in a single room. You can order one of the standard SQUARE diffuser sizes simply by filling out the order form below.

If you are looking for non-standard interior details for your project, or your market requires specific SQUARE diffuser sizes - we can help you.

Fill out the order form below and select a bespoke order. Our consultants will contact you and together we will discuss the fulfilment of your order.

We also invite you to get acquainted in detail with the technical information of SQUARE model diffuser, which you can do by reading through our catalogue.

Finally, to witness how easy it is to install SQUARE diffusers, we invite you to watch our product showcase video.

Ventmann - your choice of air elegance.




Installation
Video Instructions:
 [YouTube](#)



Download a digital
version of the catalog
 [Download](#)

SQUARE 100/125

SQUARE-SLOT



100/125 mm
DIAMETER OF COUPLING SLEEVE



2.40 kg
WEIGHT WITH HOT PACKAGING (NET)

Order code for 100 Ø:
SQUARE 100






Order code for 125 Ø:
SQUARE 125

Hide diameter

Hide diameter




Airborne noise and resistance, 1 m.



Square-slot frameless diffuser Square is ideal for a variety of room sizes. Can be used for both air supply and air extraction. It is possible to use several units in one room. Can be manufactured with a 100 mm connection pipe.

Air velocity at distance from diffuser



SIDE



FRAMELESS



PAINTABLE

The unique design of SIDE diffuser models ensures air distribution on the plane surface on which they are mounted. SIDE duct diffusers are also attractive as interior design solutions - their caps can be mounted in a circular or a square shape. It is also a practical solution. All Ventmann diffusers are the first on the market that can be plastered and painted together with the entire surface. In addition, even standard SIDE models can be adapted to your needs:

- Round or Square diffuser - you can choose the shape of the cap per your or your customer's design requirements.
- 100mm or 125mm - these are the smallest standard connection nozzle diameters you can select.
- 160mm - this is the medium diameter of the standard connection nozzle that you can select.
- 250mm - this is the maximum diameter of the standard connection nozzle that you can select.

You can order these beautiful, sleek, circular or strict, precise, square SIDE variants right here by filling out the order form below.

If your project requires specific SIDE diffuser sizes or your market requires specific SIDE diffuser sizes - we can help you.

Fill out the order form below and select a bespoke order. Our consultants will contact you and together we will discuss the fulfillment of your order.

We also invite you to get acquainted in detail with the technical information of SIDE model diffuser, which you can do by reading through our catalogue.

Finally, to witness how easy it is to install SIDE diffusers, we invite you to watch our product showcase video.

Ventmann – your choice of air elegance.



LINE



CIRCLE



SQUARE



SIDE



ORDER




Installation
Video Instructions:
 [YouTube](#)




Download a digital
version of the catalog
 [Download](#)

SIDE 100/125

WALL DIFFUSER



SIDE ROUND



SIDE SQUARE

100/125 mm
DIAMETER OF COUPLING SLEEVE



2.735 kg
WEIGHT WITHOUT PACKAGING (NET)

Order code for 100 Ø:
SIDE0100
Order code for 125 Ø:
SIDE0125






Grimes Hølsølevier
Grimes Hølsølevier

Order code for 100 Ø:
SIDE4100
Order code for 125 Ø:
SIDE4125


Grimes Hølsølevier
Grimes Hølsølevier



Airborne noise and resistance, 1 m.



Due to its unique design, this diffuser ensures air diffusion in a horizontal plane when installed in the ceiling or in a vertical plane when installed in a wall. This is why this diffuser can be mounted above the seating, desk without causing discomfort to the occupant.




SIDE 250

WALL DIFFUSER



SIDE ROUND

Order code:
SIDE 0 250
Corners: Hole diameter





SIDE SQUARE

Order code:
SIDE 4 250
Corners: Hole diameter





250 mm
DIAMETER OF COUPLING SLEEVE

4.8 kg
ROUND MODEL WEIGHT WITHOUT
PACKAGING (NET)

6.2 kg
SQUARE MODEL WEIGHT WITHOUT
PACKAGING (NET)




Airborne noise and resistance, 1 m.




It is the largest Side diffuser. Ideal for both ventilation and air conditioning systems. The diffuser is ideal for supplying and extracting air from the premises. Due to its unique construction it can be mounted above workstations.



Air velocity at distance from diffuser



SENSIBLE AIRFLOW



SLOT DIFFUSER ORDER




Open end

Closed end

Tick the necessary ones

Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length		-
2	H - height		-
3	D - holes from above		-
4	D - holes from the side		-
5	Acoustic insulation	-	
6	Amount	-	



Open end

Closed end



Tick the necessary ones

Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length		-
2	Amount	-	3
	Number of holes, pcs.		
	Slim 12	Standart 18	
	Land type		

I confirm the order _____

(signature, date)

SLOT DIFFUSER ORDER




Open end

Closed end

Tick the necessary ones

Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length		-
2	H - height		-
3	D - holes from above		-
4	D - holes from the side		-
5	Acoustic insulation	-	
6	Amount	-	



Open end

Closed end



Tick the necessary ones

Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length		-
2	Amount	-	3
	Number of holes, pcs.		
	Slim 12	Standart 18	
	Land type		

I confirm the order _____


(signature, date)

SLOT DIFFUSER ORDER



Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length	-	-
2	H - height	-	-
3	D - holes from above	-	-
4	D - holes from the side	-	-
5	Acoustic insulation	-	-
6	Amount	-	-

Tick the necessary ones



Tick the necessary ones

Entry No	Name	Measurement, mm.	Quantity, pcs.
1	L - length	-	-
2	Amount	-	-
Number of holes, pcs.			
	1	2	3
Land type			
	Slim 12	Standart 18	

I confirm the order

(signature, date)

ORDER CODE LIST

Same color parts fits together!

LINE DIFFUSERS

ORDER CODE	SLOT LENGTH	SLOTS AMOUNT	SLOT WIDTH	PAGE
LINE625112	625	1	12	3,4
LINE1000112	1000	1	12	3,4
LINE1250112	1250	1	12	3,4
LINE625118	625	1	18	5,6
LINE1000118	1000	1	18	5,6
LINE1250118	1250	1	18	5,6
LINE625212	625	2	12	7,8
LINE1000212	1000	2	12	7,8
LINE1250212	1250	2	12	7,8
LINE625218	625	2	18	9,10
LINE1000218	1000	2	18	9,10
LINE1250218	1250	2	18	9,10
LINE625312	625	3	12	13,14
LINE1000312	1000	3	12	13,14
LINE1250312	1250	3	12	13,14
LINE625318	625	3	18	15,16
LINE1000318	1000	3	18	15,16
LINE1250318	1250	3	18	15,16

ACOUSTIC JUNCTION BOXES

ORDER CODE	CONNECTION DIAMETER	SLOT LENGTH	SLOTS AMOUNT	PAGE
GTG75625	75	625	1/2	1,1,2
GTG751000	75	1000	1/2	1,1,2
GTG751250	75	1250	1/2	1,1,2
GTG125625	125	625	1/2	1,1,2
GTG1251000	125	1000	1/2	1,1,2
GTG1251250	125	1250	1/2	1,1,2
GTG160625	160	625	1/2	1,1,2
GTG1601000	160	1000	1/2	1,1,2
GTG1601250	160	1250	1/2	1,1,2
GTG3125625	125	625	3	17,18
GTG31251000	125	1000	3	17,18
GTG31251250	125	1250	3	17,18
GTG3160625	160	625	3	17,18
GTG31601000	160	1000	3	17,18
GTG31601250	160	1250	3	17,18

SQUARE DIFFUZER

ORDER CODE	CONNECTION DIAMETER	PAGE
SQUARE100	100	29,30
SQUARE125	125	29,30

CIRCLE DIFFUZER

ORDER CODE	CONNECTION DIAMETER	PAGE
CIRCLE100	100	21,22
CIRCLE125	125	21,22
CIRCLE160	160	23,24
CIRCLE200	200	25,26
CIRCLE250	250	25,26

SIDE DIFFUZER BASE

ORDER CODE	CONNECTION DIAMETER	PAGE
SIDEBASE100	100	33,34
SIDEBASE125	125	33,34
SIDEBASE160	160	35,36
SIDEBASE250	250	37,38

ROUND SIDE DIFFUZER

ORDER CODE	CONNECTION DIAMETER	PAGE
SIDE0100	100	33,34
SIDE0125	125	33,34
SIDE0160	160	35,36
SIDE0250	250	37,38

SQUARE SIDE DIFFUZER

ORDER CODE	CONNECTION DIAMETER	PAGE
SIDE4100	100	33,34
SIDE4125	125	33,34
SIDE4160	160	35,36
SIDE4250	250	37,38

